

Material Safety Data Sheet

SECTION 01: PROE	DUCT & COMPANY IDENTIFICATION	
PRODUCT NAME:	MAGIC SALT	
MANUFACTURER:	Effective dat	e: December, 2011.
Innovative Surface Solutions		
78 Orchard Road,		
Ajax, Ontario, LIS 6L1, Canada.		
EMERGENCY PHONE NUMBER:	FOR MORE INFORMATION CALL:	
613-996-6666	1-800-387-5777	
24 Hours/Day: 7 Days/Week	905-427-0318	
Trade name:	Magic Salt	
Material uses:	De-icing	
WHMIS classification	Not controlled	C I
Chemical family:	Inorganic salt with organic based p	erformance enhancer
SECTION 02: COMPOSITI	on and Information on Ingredients	
COMPONENTS:	CAS #	% by Weight
Sodium Chloride	7647-14-5	94.0%
Magnesium Chloride	7786-30-3	0.6%
Distillers Soluble	-	0.6%
2.0		
SECTION 03:	Physical Data	
Physical state:	Solid	
Odor / appearance:	Pleasant odor/brown solid	
Odor threshold:	n/a	
Specific gravity:	2.2 g/cm^3	
pH:	n/a	
Vapor pressure:	2.4	
Solubility in water: % Volatile:	Soluble in water	
Coefficient of water / oil distribution:	n/a n/a	
Vapor density:	n/a	
· ·		
	Fire & Explosion Hazard	
SECTION 04:		
SECTION 04:	Fire & Explosion Hazard No. n/a	
SECTION 04: Flammability: If yes under what conditions:	No.	
SECTION 04:	No. n/a	nguish fire.
SECTION 04: Flammability: If yes under what conditions: Means of extinguishing:	No. n/a n/a	nguish fire.
SECTION 04: Flammability: If yes under what conditions: Means of extinguishing: Special procedure:	No. n/a n/a None. Product can be used to extir	iguish fire.
SECTION 04: Flammability: If yes under what conditions: Means of extinguishing: Special procedure: Flash point:	No. n/a n/a None. Product can be used to extir n/a	nguish fire.

Sensitivity to mechanical impact:	n/a
Sensitivity to static discharge:	n/a

SECTION 05:	Reactivity Data
Chemical stability:	Yes
If no under what conditions:	n/a
Incompatibility with other substances:	Yes
If so, which ones:	Corrosive to some metals such as brass, mild steel, aluminum or ferrous metals
Reactivity under what conditions:	aluminum or terrous metals n/a
Hazardous decomposition products:	Chlorine fumes are given off at temperatures >1600°C

SECTION 06:	Health Hazards
Route of entry:	Skin contact and ingestion
Effect of acute exposure to material:	Very low toxicity, may cause slight irritation to eyes or
	skin, ingestion of large amount may cause vomiting.
Effect of chronic exposure to material:	Unknown
Exposure limit:	Unknown
Synergetic material:	None
Irritancy of material:	Minor irritant
Sensitivity of material:	Does not occur
Carcinogenetic, reproductive effects:	None

SECTION 07:	First Aid Measures
Eye contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.
Skin contact:	Remove from skin by wiping and washing thoroughly with water.
Inhalation: Ingestion:	Remove victim to fresh air. Seek medical attention immediately

SECTION 08:	Preventative Measures
Eye contact:	Wear safety goggles.
Skin contact:	Wear rubber gloves, boots and long sleeve shirts
Inhalation:	None.
Engineering controls:	None.
Waste disposal:	n/a
Handling procedures and equipment:	Wash skin and equipment with water.
Storage requirements:	Store in cool dry area.
Special shipping information:	No special shipping procedures.

SECTION 09:

PREPARATION INFORMATION

Prepared by: Telephone #: Preparation date: Superseded date:

Innovative Surface Solutions 905-427-0318 December, 2011 ALL PREVIOUS VERSIONS